



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0296/11/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings, sold under the trade marks

(trade marks and type codes according to EN 13 162 are given in the annex to the certificate)

produced by :

ROCKWOOL Polska, Sp.z o.o.
ul. Kwiatowa 14
66-131 Cigacice, Poland

**and produced in
the manufacturing plant:**

ROCKWOOL, a.s.
Cihelní 769
735 31 Bohumín, Czech republic
(production line Boh 2)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 13 162:2012

under system 1 for the performances set out in this certificate are applied and that
the construction products fulfil all the prescribed requirements for these performances

This certificate was first issued on 21. 04. 2011 as a certificate pursuant to CPD and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Notified Body 1390
Prague, 08. 06. 2015




Ing. Petr Kučera, PhD.
Deputy of Notified Body 1390



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



Annex to the Certificate of Constancy of Performance 1390-CPR-0296/11/P
The certificate covers the following products of ROCKWOOL Polska, Bohumín factory:

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
VENTI MAX F (d=20-79mm)	0,034	A1	MW-EN 13162- T3-CS(10)0,5-WS-WL(P)-MU1
VENTI MAX (d=20-79mm)			
WENTIROCK MAX (d=20-79mm)			
WENTIROCK MAX F (d=20-79mm)			
VENTI MAX F (d≥80mm)	0,034	A1	MW-EN 13162- T3-CS(10)0,5-WS-WL(P)-AW0.95-MU1
VENTI MAX (d≥80mm)			
WENTIROCK MAX (d≥80mm)			
WENTIROCK MAX F (d≥80mm)			
PANELROCK	0,036	A1	MW-EN 13162- T3-CS(10)0,5-WS-MU1
PANELROCK F			
INDUSTRIAL F50			
INDUSTRIAL 50			
INDUSTRIAL F80			MW-EN 13162- T3-CS(10)0,5-MU1
INDUSTRIAL 80			
INDUSTRIAL 50 SOL			
INDUSTRIAL 50 HEWALEX			
WENTIROCK (d= 80-200)	0,037	A1	MW-EN 13162- T4-CS(10)10-TR7,5-WS-AW0,95-MU1
WENTIROCK (d= 20-79)	0,037	A1	MW-EN 13162- T4-CS(10)10-TR7,50-WS-MU1
WENTIROCK F			
INDUSTRIAL F100			
INDUSTRIAL F120	0,038	A1	MW-EN 13162-T5-TR5
SPANROCK M			
SPANROCK M-M			
SPANROCK M77			
SPANROCK S			
SPANROCK S66	0,040	A1	MW-EN 13162-T5-TR5
SPANROCK L			
SPANROCK L1075			
SPANROCK XL	0,035	A1	MW-EN 13162- T3-TR1-WS-WL(P)-MU1
RPI – 4.5 (d=25-50mm)			

Notified Body 1390

Prague, 08. 06. 2015



Ing. Petr Kučera, PhD.
Deputy of Notified Body 1390