



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 00 Praha 10



Notified Body 1390

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1390 – CPR – 0341/12/P

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Factory made mineral wool products used for building equipment and industrial instalations, sold under the trade mark

ROCKTERM

Industrial Batts Black 60/TECHROCK 60 FB1

Industrial Batts Black 60Z/TECHROCK 60 FB2

Industrial Batts Black 80/TECHROCK 80 FB1

(trade marks and type codes according to list given in the annex to the certificate)

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14
66-131 Cigacice, Poland

and produced in the manufacturing plant : **ROCKWOOL Polska, Sp.z o.o.**
ul. Kwiatowa 14
66-131 Cigacice, Poland (production line CIG 4)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 14 303:2009+A1:2013

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 08. 08. 2012 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390
Prague, 28. 11. 2017




Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390



Centrum stavebního inženýrství a.s. Praha
Centre of Building Construction Engineering Prague
Akreditované zkušební laboratoře, Autorizovaná osoba,
Oznámený subjekt, Certifikační orgán
Accredited Test Laboratories, Authorised Body,
Notified Body, Certification Body
Pražská 16, 102 21 Praha 10



Annex to the CERTIFICATE OF CONSTANCY OF PERFORMANCE
1390-CPR-0341/12/P

The certificate covers the following products of Rockwool Polska Sp. z o.o.,
ul. Kwiatowa 14, 66-131 Cigacice, Poland

tab 1

Trade mark	Thermal conductivity $W/m \cdot K$	Reaction to fire	Type code in accordance with EN 14 303
ROCKTERM	see tab. 2	A1	$d < 50mm$ MW EN 14 303-T3-ST(+)250-WS1 $d = 50 - 59mm$ MW EN 14 303-T3-ST(+)250-AW0.75-WS1 $d = 60 - 99mm$ MW EN 14 303-T4-ST(+)250-AW0.75-WS1 $d \geq 100 mm$ MW EN 14 303-T4-ST(+)250-AW1.00-WS1
Industrial Batts Black 60 TECHROCK 60 FB1			$d < 60mm$ MW EN 14 303-T3-ST(+)250-WS1 $d \geq 60 mm$ MW EN 14 303-T4-ST(+)250-WS1 $d = 50 mm$ MW EN 14 303-T3-ST(+)250-AW0.95-WS1
Industrial Batts Black 60Z TECHROCK 60 FB2			$d < 60mm$ MW EN 14 303-T3-ST(+)250-WS1 $d \geq 60 mm$ MW EN 14 303-T4-ST(+)250-WS1 $d = 100 mm$ MW EN 14 303-T4-ST(+)250-AW1,00-WS1
Industrial Batts Black 80 TECHROCK 80 FB1			$d < 60mm$ MW EN 14 303-T3-ST(+)250-WS1 $d \geq 60 mm$ MW EN 14 303-T4-ST(+)250-WS1 $d = 20 mm$ MW EN 14 303-T3-ST(+)250-AW0.40-WS1

tab 2

Trade mark	λ_D Thermal dependence of thermal conductivity $W/m \cdot K$		
	50	150	250
ROCKTERM			
Industrial Batts Black 60 TECHROCK 60 FB1	0,041	0,062	0,093
Industrial Batts Black 60Z TECHROCK 60 FB2			
Industrial Batts Black 80 TECHROCK 80 FB1	0,039	0,054	0,076

Notified Body 1390
Prague, 28. 11. 2017



Ing. Petr Kučera, CSc.
Deputy of Notified Body 1390